## Comparison of Boger's repertory with Therapeutic Pocket book Dr Sanil Kumar

Boenninghausen's Characteristics and Repertory has got its own advantages over other repertories. It is well explained, well arranged, follows a definite plan and construction and is based on a sound philosophy. Adequate acquaintance with the repertory with the repertory is needed to put it to maximum use.

Boger has given greater importance to causation, time- dimensions, modalities and generals (pathological, physical and mental). It is obvious that Boger has given importance to causation, modalities, concomitants, general sensations and pathology. Location is given the last place in the order of hierarchy.

While compiling the repertory, Boger followed the basic plan and construction of Boenninghausen's Repertory of Antipsoric Medicines, which could overcome many difficulties faced in using Therapeutic pocket book.

The repertory embraces the psoric and the anti-psoric repertories, the sides of body, the repertory part of the intermittent fever and of whooping cough as well as a large number of paragraphs from the aphorisms of Hippocrates.

BOGERS REPERTORY	ВТРВ
MIND	MIND
	INTELLECT
SENSORIUM	
VERTIGO	INCLUDED IN INELLECT
HEAD—INTERNAL	INTERAL HEAD
EXTERNAL	EXTERNAL HEAD
EYES—EYE BROWS	EYES
ORBITS	VISION
EYE LIDS	
CANTHI	
VISION	
EARS-HEARING	EARS
	HEARING

## CHAPTER COMPARISON WITH BTPB

NOSE—SMELL	NOSE
	SMELL
CORYZA	
FACE—LIPS	FACE
LOWER JAW AND	LOCATIONS OF SENSATIONS
MAXILLARY JOINTS	
CHIN	
TEETH—GUMS	ТЕЕТН
MOUTH—PALATE	MOUTH
THROAT AND GULLET	THROAT
SALIVA	MOUTH AND FAUCES
TONGUE	
APPETITE	HUNGER AND THIRST
THIRST	
TASTE	TASTE
ERUCTATION	ERUCTATIONS
WATER BRASH AND HEARTBURN	
HICCOUGH	
NAUSEA AND VOMING	NAUSEA AND VOMITING
STOMACH	
EPIGASTRIUM	
HYPOCHONDRIA	HYPOCHONDRIA
ABDOMEN	ABDOMEN
	INTERNAL ABDOMEN
	ABDOMINAL RINGS
EXTERNAL ABDOMEN	EXTERNAL ABDOMEN
INGUINAL AND PUBIC REGION	

FLATULENCE	FLATULENCE
STOOL—CONCOMITANTS BEFORE	STOOL
STOOL	
CONCOMITANTS DURING	
STOOL	
CONCOMITANTS AFTER	
STOOL	
ANUS AND RECTUM	
PERINEUM	
PROSTATE GLAND	
URINE-SEDIMENT	URINE
MICTURITION	MICTURITION
BEFORE URINATION	
DURING URINATION	
AT CLOSE OF URINATION	
AFTER URINATION	
CONDITIONS OF URINATION	
URINARY ORGANS—KIDNEYS	URINARY ORGANS
URETERS	
BLADDER	
URETHRA	
meatus	
GENITALIA—MALE ORGANS	SEXUAL ORGANS
PENIS	
GLANS	
PREPUCE	
SPERMATIC	

CORD	1 1
TESTIS	
SCROTUM	
FEMALE ORGANS	
SEXUAL IMPULSE	
MENSTRUATION—CONCOMITANTS	MENSTRUATION
BEFORE MENSES	LEUCORRHOEA
CONCOMITANTS	
AT START OF MENSES	
CONCOMITANTS	
DURING MENSES	
CONCOMITANTS	
AFTER MENSES	
LEUCORRHOEA	
RESPIRATION—IMPEDED BY	RESPIRATION
COUGH—EXCITED OR	COUGH
AGGRAVATED BY	
EXPECTORATION	
EXPECTORATION, TASTE OF	
EXPECTORATION,ODOUR OF	
LARYNX AND TRACHEA	AIR PASSAGES
VOICE AND SPEECH	
NECK AND EXTERNAL THROAT	EXTERNAL THROAT AND NECK
NAPE	NECK AND NAPE OF NECK
CHEST—INNER	CHEST
EXTERNAL	
AXILLAE	

MAMMAE	
NIPPLES	
HEART AND REGION OF	
BACK—SCAPULAR REGION	ВАСК
BACK PROPER(DORSAL	
REGION)	
LUMBAR REGION-SMALL OF BACK IN GENERAL	
SACRUM AND COCCYX	
SPINAL COLUMN AND	
VERTEBRAE	
UPPER EXTRIMITIES	UPPER EXTRIMITIES
LOWER EXTRIMITIES	LOWER EXTRIMITIES
SENSATIONS AND COMPLAINTS IN GENERAL	SENSATIONS
GLANDS	GLANDS
BONES	BONES
SKIN AND EXTERIOR BODY	SKIN
SLEEP—POSITIONS DURING	SLEEP—POSITION IN SLEEP
SLEEP	
WAKING	
DREAMS	DREAMS
FEVER—PATHOLOGICAL TYPES	
BLOOD	
CIRCULATION—PALPITATION	CIRCULATION
HEART BEAT	
HEART BEAT PULSE	

PARTIAL CHILL	
COLDNESS	
PARTIAL	
COLDNESS	
SHIVERING	
HEAT AND FEVER IN GENERAL	
PARTIAL HEAT	
SWEAT—PARTIAL SWEAT	
COMPOUND FEVER	
BEGINNING WITH CHILL	
BEGINNING WITH SHIVERING	
BEGINNING WITH HEAT	
BEGINNING WITH SWEAT	
CONDITIONS IN GENERAL	
CONDITIONS OF AGGRAVATION AND	AGGRAVATIONS
AMELIORATION IN GENERAL	AMELIORATION
CONCORDANCE	RELATIONSHIP OF REMEDIES